# FILTRALITE®



# Filtralite<sup>®</sup> Nature NR 10-20



## PRODUCT DESCRIPTION

Filtralite® Nature NR 10-20 is high quality filter media, manufactured from expanded clay material, used for filtration and purification of waste and effluent water for dispersed settlements.

#### **ADVANTAGES**

Filtralite® media, with its highly porous structure, enables large microbial growth surface for biological filtration which means improved filter capacity and reduced operational costs.

#### **EXPLANATIONS**

N = Normal density, M = Medium density, H = High density, C = Crushed, R = Round

### PRODUCT SPECIFICATION

Commercial name	FILTRALITE® NR 10-20		
Density	Bulk density, loose: 250 kg/m3 Particle density: 430 kg/m3		
Type of material	Expanded clay		
Appearance	Round particles, smooth surface with micropores		
Manufactured by	Leca Rælingen (Saint-Gobain Group), Norway		
Version	8		

Size and weight	Value	Deviation	Comments
Particle size range	8-20 mm	< 8 mm max. 15 % > 20 mm max. 15 %	EN 12905
Bulk density, dry, loose	250 kg/m <sup>3</sup>	± 50 kg/m <sup>3</sup>	EN 1097-3
Particle density, apparent	430 kg/m <sup>3</sup>	± 100 kg/m <sup>3</sup>	EN 1097-6, Annex E

A Saint-Gobain brand

Leca Norge AS - Reg. of ent. NO 918 799141 MVA/VAT Årnesvegen 1 • N-2009 Nordby • Norway Telephone: +47 41 43 71 00

Chemical composition, approximate values							
SiO <sub>2</sub>	Al <sub>2</sub> O <sub>3</sub>	Fe <sub>2</sub> O <sub>3</sub>	K <sub>2</sub> O	CaO	Na₂O		
63 %	17 %	7 %	4 %	2 %	2 %		

# **DISCLAIMER**

The information provided in this data sheet is based on our current knowledge and experience. All the above information must be considered as guidelines. It is the user's responsibility to ensure that the product is suitable for the intended use and perform self-monitoring. The user is responsible if the product is used for purposes other than those recommended, or improper execution. We are available for consultation in the use of our products.